

Proven  
Performance

**McCloskey**  
INTERNATIONAL  
**36x80 Stacker**





# 36x80 Stacker High Performance Stacker

The newly designed McCloskey 36x80 (914mm x 24.4m) Stacker comes standard with a Diesel Power pack, radial axle, hydraulic top fold and hydraulic raise and lower. The McCloskey 36x80 (914mm x 24.4m) stacker provides an impressive stockpiling capability that exceeds 32' (10m) in height and a radial stock pile volume of 14,260yd<sup>3</sup> (10,900m<sup>3</sup>) at 180°.



### Options

Belt Scale.



Close Coupled Hydraulic Drive.



Hydraulic Wheel.



Air Brakes.

### Additional Options

Remote Grease Line Kit.

30hp/22kw Electric Drive.

Hydraulic Axle Jacks and Landing Gear.



## Features & Benefits

**Integrated Pivot Plate -** Pivot plate automatically adjusts to various operating heights.



**Power Unit -** 48hp / 36kw Tier III Diesel Drive.

**Radial Axle -** Pivoting axle box allows wheels to radial to create radius stockpiles.

**Belt Speed -** Belt speed is designed for optimum efficiency and reduced belt load for longer life with larger capacity.

**Hydraulic Top Fold -** Straight forward hydraulic controls to fold and unfold, and raise and lower conveyor.





### 36x80 Stacker dimensions and weight

Belt Size	914 mm x 24.4 m (36" x 80')
Weight	6,800kgs (15,000 lbs)
Height Transport	4.1 m (13'-5")
Length Transport	18.6 m (61'-0")
Width Transport	3.2 m (10'-8")

### Working dimensions

Height Working	10.0 m (33'-0")
Length Working	23.5 m (77'-0")
Width Working	3.4 m (11'-2")



**N.America & S.America**  
 #1 McCloskey Road, RR#7  
 Peterborough, Ontario Canada,  
 K9J 6X8  
 1-877-Trommel  
 T (705) 295-4925  
 F (705) 295-6159  
 sales@mccloskeyinternational.com

**UK & International**  
 47 Moor Road,  
 Coalisland,  
 Co Tyrone,  
 N.Ireland BT71 4QB  
 T +44 (0) 2887-740-926  
 F +44 (0) 2887-747-242  
 salesuk@mccloskeyinternational.com

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. McCloskey International assumes no liability resulting from errors or omissions in this document.



### Durability

Branded components throughout, including CAT Engine.  
 High efficiency diesel hydraulic system allows higher throughput and lower fuel consumption.  
 Vulcanized belts with high quality scrapers.



### Maintenance/User friendly

Accessible engine bays at ground level.  
 Universal user friendly controls throughout the McCloskey line.  
 Quick setup time.  
 Highly maneuverable on site.  
 Unique user friendly belt adjusters.  
 Ground level grease points.



**See it in action...**  
 View working videos, customer testimonials and more at  
[www.mccloskeyinternational.com](http://www.mccloskeyinternational.com)

Authorized Dealer